

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. - 2. (Cancelled)

3. (Currently Amended) An electronic equipment, comprising:

a double length case having an overall length substantially twice as long as a predetermined ~~standard~~-length in a predetermined direction, in which said double length case includes a common case member, the greatest length of the common case member being shorter in ~~overall~~-length in said predetermined direction than said ~~standard~~-~~predetermined~~ length and available for a part of a ~~standard~~-~~predetermined~~ length case, the predetermined length case having in said predetermined direction an ~~overall~~ length identical to said ~~standard~~ ~~predetermined~~ length, and an additional case member, the greatest length of the additional case member being longer in ~~overall~~-length in said predetermined direction than said ~~standard~~ ~~predetermined~~ length case and disposed on a predetermined side of said common case member, said common case member having a common side engaging portion held in fitting engagement with said additional case member, and said additional case member having an additional side engaging portion held in fitting engagement with said common side engaging portion of said common case member;

a front panel disposed on the front side of said double length case;

a connecting member for fixedly connecting said common case member and said additional case member to each other;

a common side tightening member operable to tighten and fixedly connect said connecting member with said common case member; and

an additional side tightening member operable to tighten and fixedly connect said connecting member with said additional case member,

said connecting member being disposed on one or the other side in a direction in which said common case member and said front panel are arranged.

4. (Currently Amended) An electronic equipment, comprising:

a double length case having an overall length substantially twice as long as a predetermined ~~standard~~-length in a predetermined direction, in which said double length case includes a common case member, the greatest length of the common case member being shorter in ~~overall~~-length in said predetermined direction than said ~~standard~~-~~predetermined~~ length and available for a part of a ~~standard~~-~~predetermined~~ length case, the predetermined length case having in said predetermined direction an ~~overall~~ length identical to said ~~standard~~ ~~predetermined~~ length, and an additional case member, the greatest length of the additional case member being longer in ~~overall~~-length in said predetermined direction than said ~~standard~~ ~~predetermined~~ length case and disposed on a predetermined side of said common case member, said common case member having a common side engaging portion held in fitting engagement with said additional case member, and said additional case member having an additional side engaging portion held in fitting engagement with said common side engaging portion of said common case member;

a common side electronic part housed in said common case member;

an additional side electronic part housed in said additional case member to be independent from said additional case member; and

a harness cable having said common side electronic part and said additional side electronic part connected to each other.

5. (Original) An electronic equipment as set forth in claim 4, in which said additional case member is formed with a passage hole having said harness cable passed therethrough to connect said common side electronic part and said additional side electronic part.

6. (Cancelled)

7. (Original) An electronic equipment as set forth in claim 4, in which said double length case includes a cover member disposed on the opposite side of said additional case

member as against said common case member, said additional case member having for covering use a cover engaging portion held in fitting engagement with said cover member, and said cover member having a cover side engaging portion held in fitting engagement with said engaging portion of said additional case member, said cover side engaging portion and said common side engaging portion being engageable with each other.